

ENVIRONMENTAL & POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN

Riverina (AUSTRALIA) Pty Ltd

1. PURPOSE

The purpose of this procedure is to ensure the Riverina (Australia) Pty Ltd comply with the requirements to prepare a Pollution Response Management Plan (PIRMP) under section 153A of the POEO Act 1997.

2. SCOPE

This procedure relates to Riverina (Australia) Pty Ltd Casino Mill at Lot 101, DP 860152, Reynolds Road, Casino, New South Wales.

3. INTRODUCTION

Site location marked in red on the map below; Reynolds Road, Casino, New South Wales. Map 1;



Neighbouring Land Uses;

To the immediate South sale yards land and beyond is Boral,

To the West sale yards land,

To the North Council property, quarried and waste glass storage,

To the East (across Reynolds Road), Northern Co-Operative Meat Works farmland.

No residential properties in the immediate vicinity.

4. KEY ACTIVITIES & PROCESSES

Riverina (Australia) Pty Ltd (Riverina) supplies animal feed for the Australian agriculture industry and is also an exporter of grain and protein meals to South East Asia, the Pacific Rim and other export markets. Riverina's operations include procurement and trading of grain and agricultural commodities, milling of stockfeed, including beef and dairy cattle, birdseed mixes, pig feeds, poultry, sheep, goats, horse feeds and pasture supplements

5. POTENTIAL POLLUTION TYPES

The most likely environmental emergencies that may be encountered include:

Organic oil spill or molasses that reaches the stormwater system watercourse. The sources may include but are not limited to:

- IBCs containing liquid vegetable oil.
- Bulk oil unloading from road tanker
- Gas leak and/or fire. The sources may include but are not limited to:
 - LPG bulk tank,
 - LPG tank for filling fork lift tanks,
 - LPG fork lift fuel tanks.

Air pollution from unusual particulate stack emission cause of which may include but are not limited to:

- Production trials.
- Dust produced when unloading grain trucks on the grain unloading pit.

Recycled Vegetable Oil: is delivered in bulk road and pumped into the RVO Tank, which is inside the liquid storage bund. Any spills outside the liquid bund are absorbed by bentonite (clay absorbent material), swept up and disposed of into the bulk waste bins provided and serviced by a waste management company.

Molasses Liquid: is delivered in bulk road and pumped into the Molasses Tank, which is inside the liquid storage bund. Any spills outside the liquid bund are absorbed by bentonite (clay absorbent material), swept up and disposed of into the bulk waste bins provided and serviced by a waste management company.

Waste Oil: All Waste Oil generated shall be stored in sealed black oil waste drums and stored adjacent to the large liquid bund. These drums are taken away by a contractor and the contents recycled off our premises.

Oil /Water Emulsions: These may develop inside the liquid bund if and when there is a leak of oil inside the confined space of the liquid bund. The Production Manager arranges for the contents of the bund be pumped out by a liquid waste disposal contractor.

Boiler Water: Boiler water waste is contained in the Boiler Blowdown Water. The Production Manager arranges for the contents of the bund to be pumped out by a liquid waste disposal contractor.

Septic Waste: The septic systems discharge the treated water through a watering system which waters the grass at the western side of the site.

Bulk Grain: Bulk grain if spilled is swept up by personnel and can be added back into the process if not contaminated with foreign material. Alternatively the waste is tipped into the bulk waste bins provided and serviced by a waste management company.

Raw Material: Bagged raw materials used on site if spilled are swept up by personnel and can be added back into the process if not contaminated with foreign material. Alternatively the waste is tipped into the bulk waste bins provided and serviced by a waste management company.

Hydrochloric Acid: Hydrochloric acid is utilised to control the pH of the water in the boiler blow down sump. This product is stored in a separate container or in the portable bund area. Maximum quantity stored on site is 2 x 20 litre drums. Any spills outside the liquid bund are absorbed by bentonite (clay

absorbent material), swept up and disposed of into the bulk waste bins provided and serviced by a waste management company.

Boiler water treatment chemical: Various boiler water treatment chemicals are used on site to control the level of total dissolved solids in the boiler water. These products are stored in 15 litre drums. These products are stored in the portable bund area. Maximum quantity stored on site is 10 x 15 litre drums. Any spills outside the liquid bund are absorbed by bentonite (clay absorbent material), swept up and disposed of into the bulk waste bins provided and serviced by a waste management company. (Alpha 1, Kappa Silver, Transpol 392 and Omega Tan)

Insectaguard: Insectaguard is a pyrethrum and is used on site to treat flies and other insects. Insectaguard is in a 25 litre drum and is stored in the portable bund area. Maximum quantity stored on site is 1 x 25 litre drum. Any spills outside the liquid bund are absorbed by bentonite (clay absorbent material), swept up and disposed of into the bulk waste bins provided and serviced by a waste management company.

Gear oil: Gear oil is used on site to lubricate the numerous gearboxes. The gear oil is in 20 litre drums and is stored in the portable bund area. Maximum quantity stored on site is 3 x 20kg drums. Any spills outside the liquid bund are absorbed by bentonite (clay absorbent material), swept up and disposed of into the bulk waste bins provided and serviced by a waste management company. (Gulf Western Industrial gear oil 220)

Lubricant: Lubricant is used on site to lubricate various items of equipment. Lubricant is in 20 litre drums and is stored in the portable bund area. Maximum quantity stored on site is 2 x 20kg drums. Any spills outside the liquid bund are absorbed by bentonite (clay absorbent material), swept up and disposed of into the bulk waste bins provided and serviced by a waste management company.

Sanitiser: Sanitiser is used on site to spray into the cooling equipment for sanitation purposes. The sanitiser comes in 20 litre drums and is stored in the portable bund area. Maximum quantity stored on site is 2 x 20 litre drums. Any spills outside the liquid bund are absorbed by bentonite (clay absorbent material), swept up and disposed of into the bulk waste bins provided and serviced by a waste management company. (Actisan Sanitiser)

Thinners: Thinners is used on site for cleaning some equipment in the workshop and when painting. The thinners come in 20 litre drums and are stored in the portable bund area.

Maximum quantity stored on site is 2x 20litre drums. Any spills outside the liquid bund are absorbed by bentonite (clay absorbent material), swept up and disposed of into the bulk waste bins provided and serviced by a waste management company. (Recochem all purpose thinner)

6. Risk Identification

a. Risk Assessment Process

The environmental risk assessment identifies aspects that may cause a risk of harm to the environment and assesses the level of impact. Environmental risk assessments are used for determining the significance of impacts on the environment. The process of risk assessment is explained below.

Level	Descriptor	Description
5	Almost Certain	The event is expected to occur in most circumstances
4	Likely	The event will probably occur in most circumstances
3	Moderate	The event should occur at some time
2	Unlikely	The event could occur at some time
1	Rare	The event may occur only in exceptional circumstances

How likely is an event to occur?

If it does, what are the worst-case scenario consequence
--

Level	Descriptor	Description		
1	Insignificant	Low financial loss, negligible if any environmental impact		
2	Minor	On site release immediately contained, minor and		
		reversible impact.		
		Generation of waste. Normal resource consumption.		
		Medium financial loss.		
3	Moderate	On site release contained with outside assistance.		
		Potential release to stormwater. Incident reported to		
		authorities. Minor but reversible impact. Generation of		
		waste requiring disposal as controlled wastes. Significant		
		consumption of resources, e.g. gas, water, electricity		
		and raw materials. High financial loss.		
4	Major	Loss of production capability. Off site release contained		
		with outside assistance. Incident reported to authorities,		
		major but reversible impact. Major financial loss.		
5	Catastrophic	Toxic release off site with detrimental effect. Immediate		
		involvement of authorities, major and irreversible		
		impact. Huge financial loss.		

Level of Risk	Consequences				
	Insignificant	Minor	Moderate	Major	Catastrophic
Likelihood	1	2	3	4	5
5 (almost certain)	6	7	8	9	10
4 (likely)	5	6	7	8	9
3 (moderate)	4	5	6	7	8
2 (unlikely)	3	4	5	6	7
1 (rare)	2	3	4	5	6

Add the levels above to find risk level.

Risk Prioritisation			
	RISK LEVEL	SUGGESTED ACTIONS	
	Low Risk	Manage by Routine Procedures	
	Moderate Risk	Responsibility and action dates must specified	
	High Risk	Reduce as soon as possible	
	Extreme Risk	Immediate action to Reduce the Risk	

7. Management Procedure

The Branch Manager is responsible for notifying the authorities.

In the event of a major incident on site only the Managing Director or his delegate, shall be authorised to make any statements to the media or public.

8. Notification Procedure – Neighbours

The nature and direction of the incident will determine the most appropriate neighbours to be notified. In the event of a pollution incident the Branch Manager will be the person responsible for notifying any affected neighbours. In their absence the responsibility will site with the Production Manager.

9. Immediate Incident Response Procedure

Table 1; Notification Template for the Management Team

Site Management Team	Authorities to Notify of
6	Pollution Incidents
Branch Manager	Environmental Protection
	Authority (EPA)
	Tel: (02) 6640 2500
	Fax: (02) 6642 7743
	Alternative Tel: 131 555 24 hrs
Workplace Systems Manager	SafeWork NSW
	Tel: 131 050
	Lismore Base Hospital
	Tel: (02) 6621 8000
Branch Manager	Richmond Valley Council
	Tel: (02) 6660 0300
	24Hrs 7 Days/Week
Branch Manager (or in	Fire and Rescue NSW
EMERGENCY, Production	Emergency Tel: 000
Manager or Shift Supervisor)	Alternative Tel: 1300 729 579

Table 1 Supplemental for specific Incident types affecting neighbours; Notification Template for the Management Team

Site Management Team	Neighbours to be notified
Branch Manager	Northern Co-Operative Meat
	Company Ltd. (NCMC)
	Tel: (02) 6662 2444
	Casino Saleyards
	Tel: (02) 6662 6403
	Boral Timber
	Tel: (02) 6670 8700
	Richmond Valley Council
	Tel: (02) 6660 0300
	24Hrs 7 Days/Week

POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN Riverina (AUSTRALIA) Pty Ltd - CASINO MILL

Table 2; Notification Template for the Site Employees				
	 Care of Workers – Evacuate the Area if there is any danger to personnel. 			
Safety First	Care of Environment – contain spills, put out fires ONLY if safe to do so.			
	Provide First Aid or Medical Trea	tment, if required		
nt				
a Me	Ambulance	000		
eat				
Tre	Lismore Base Hospital	(02) 6621 8000	Uralba St, Lismore NSW 2480	
	 Stop the source of the sp 	ill if safe to do so.		
o	 Contain the spill (Spill Kits 	s) and control its flow fror	n the site.	
ills °	 If pollution has escaped t 	he site or if the spill has p	otential to harm the	
d Su	environment, report the	spill to Branch Manager, v	vho will notify Managing	
nor issi	Director, General Manager Feed Division and Workplace Systems Mangers.			
Air m	 Be safe rather than sorry; report any pollution no matter how small to the 			
	Branch Manager.			
	• For large scale hazardous spins can the NSW Fire and Rescue infinediately of 000 (triple zero)			
	• Control pollution flow from leaving the site where possible			
o	 If pollution has escaped the site or if the spill has potential to harm the 			
ills	environment, report the spill to Branch Manager, who will notify Managing			
Sp Sns	Director, General Manage	er Feed Division and Work	place Systems Mangers.	
ors ssic	 Contact Grelie Waste who 	o is able to pump liquid w	astes into the liquid waste	
/laj mis	removal truck for disposal, Tel: (02) 6662 2510.			
2 Ш	 Call key people listed below 	ow in order.		
	Managing Director	Mob: 0408 42	Mob: 0408 422 488	
ple	General Manager Manufacturing	Division Mob: 0427 63	0427 637 933	
Peop	Workplace Systems Manager	Mob: 0409 09	099 218	
Key	Work Health and Safety Manager	Mob: 0409 30	306 765	
tify	Branch Manager	Mob: 0417 72	25 117	
No	Production Manager	Mob: 0429 91	Mob: 0429 919 700	
a ions	In the event of a major incident on site only the Managing Director or his delegate, shall be authorised to make any statements to the media or public.			
Medi Relat				

10. Emergency Response Equipment

The site maintains the following emergency equipment and has the ability to engage spill control assistance of Grelie Waste.

- i. Liquid Spills can be absorbed by Bentonite (clay)
- ii. Fire extinguishers
- iii. Fire Hose Reels

11. Incident Response Procedure

A person has a duty to notify the Branch Manager and in their absence the Production Manager when – while carrying out any activity – the person becomes aware that an event has happened that causes or threatens to cause material environmental harm.

Emergency incidents such as those involving

- a. The release of contaminants into the stormwater system.
- b. Hazardous materials from fires.
- c. Spillage of chemicals that require involvement of emergency response personnel.

Material Environmental Harm includes actual or potential harm to the health or safety of humans or the ecosystem.

12. Plan Testing, review and Maintenance

a) The PIRMP will be reviewed following a significant pollution incident covering deficiencies identified in the investigation.

13. Approval & History

Issue	Amended paragraphs/pages	Amendment Details	Date issued
1	New PIRMP	New PIRMP	04/07/2014
2	Approved by	Change to CEO	26/04/2016
3	Potential Pollution Types	Additions to chemicals on site	27/05/2016
	Immediate incident response Procedure	Added neighbours contact numbers	27/05/2016
4	Contact details	Internal executive and senior	06/04/2018
		management changes inclusive of phone	
		contact details have changed	
5	Potential pollution types	Remove Alimet – no longer in use	24/05/19
	Potential pollution types	Remove poultry oil – no longer in use	24/05/19
	Potential pollution types	Remove Kappa 1 – no longer in use	24/05/19
	Notification template for site employees	Update phone number for Boral Timber	24/05/19
	Notification template for site employees	Update phone number for WHS Manager	24/05/19
6.	Sanitiser	Remove Quat – No longer used	19/06/2021
7.	Regional Manager	Change to Branch Manager	26/06/2021
8.	Potential pollution types	Change to Insectaguard. Pyrafog no	26/06/2021
		longer used.	
9.	Potential pollution types	Change to Alpha 1.	26/06/2021
		Change to Kappa Silver	
		Change to Transpol 392	
		Change to Omega Tan	

Approved by :

Director

Approved by:

Managing Director