

RIVERINA

TURKEY STARTER CRUMBLES (Medicated)



PRODUCT DESCRIPTION

RIVERINA TURKEY STARTER CRUMBLES (Medicated) are a complete feed for starting turkey poults. This feed is the first stage in a two stage feeding programme for growing turkeys.

TYPICAL COMPOSITION

- Wheat, maize, sorghum, bran and pollard, a combination of protein meals (cottonseed meal, soybean meal, canola meal, sunflower meal, blood meal, meat meal), vegetable oil, limestone, mould inhibitor, sodium bicarbonate, salt, choline chloride, amino acids, Bovatec®, Riverina vitamin & mineral premix.
- Base raw materials may gradually change seasonally.

DIRECTIONS FOR USE

- Feed from day old to seven weeks of age.
- RIVERINA TURKEY STARTER CRUMBLES (Medicated)** are a complete feed. No supplementary feeding is necessary.
- Turkey poults should have unlimited access to the feed (*ad lib*).

Age of Birds	Approximate Feed Consumption (per head per day)
Week 1	10 - 20 grams
Week 2	20 - 30 grams
Week 4	70 - 100 grams
Week 6	110 - 160 grams
Week 7	140 - 200 grams

- The above feed intakes are only indicative. Feed intakes will vary with the season, sex of the bird, lighting, shed conditions, disease status and other environmental conditions.
- The shed should ideally have a concrete floor, be cleaned thoroughly and spread with clean litter such as wood shavings.
- A brooder or another heat source will be needed as chicks are unable to maintain their body temperature.
- For the first two days of feeding it is best to spread some feed on trays or newspaper to encourage the birds to eat. Replace the feed regularly so it remains fresh and palatable.
- After this use a self-feeder. It is important to replace any build up of stale feed.
- The first three to five weeks are of vital importance for rearing turkey poults. When day old poults arrive, it may be necessary to dip the beaks of some of them in feed and water to encourage consumption.
- Clean, cool, fresh water should be available at all times. Any wet litter near water points should be removed regularly.
- Turkeys should have access to insoluble grit to aid digestion.

NUTRITIONAL ANALYSIS

PROTEIN	%	MIN:	28.00
CALCIUM	%	:	0.80 - 1.20
AV PHOS	%	MIN:	0.40
FAT/EE	%	MIN:	2.50
C FIBRE	%	MAX:	4.00
ENERGY A-ME	MJ/kg	MIN:	11.65
SALT	%	:	0.15 - 0.40
LYSINE	%	MIN:	1.30
METHIONINE	%	MIN:	0.50
VITAMIN A	iu/kg	:	10,000.00

NUTRITIONAL ANALYSIS (continued)

VITAMIN D3	iu/kg	:	3,000.00
VITAMIN E	mg/kg	:	65.00
VITAMIN K	mg/kg	:	3.00
VITAMIN B1	mg/kg	:	2.50
VITAMIN B2	mg/kg	:	7.00
NIACIN (B3)	mg/kg	:	50.00
VITAMIN B5	mg/kg	:	12.50
VITAMIN B6	mg/kg	:	5.00
VITAMIN B12	mg/kg	:	0.02
FOLIC ACID	mg/kg	:	1.50
BIOTIN	mg/kg	:	0.15
COBALT	mg/kg	:	0.25
COPPER	mg/kg	:	126.50
IRON	mg/kg	:	60.00
IODINE	mg/kg	:	1.50
MANGANESE	mg/kg	:	75.00
MOLYBDENUM	mg/kg	:	0.50
SELENIUM	mg/kg	:	0.30
ZINC	mg/kg	:	80.00

FEATURES

- Produced as a fine crumble so that feed wastage is minimised, digestibility is improved and there is less feed separation, ensuring a consistent intake of nutrients.
- RIVERINA TURKEY STARTER CRUMBLES (Medicated)** have the high protein level necessary for efficient liveweight gain.
- Essential vitamins and minerals have been added to support high growth rates.

QUALITY PRODUCT

- Manufactured to strict quality control standards for incoming raw materials and the finished product.
- Formulated in accordance with current research into turkey nutrition and mixed using a variety of quality raw materials.

MEDICATION

This feed contains Bovatec® which supplies Lasalocid sodium at 95 mg/kg as an aid in the prevention of coccidiosis caused by certain *Eimeria* species.

Please note: Government legislation prohibits the inclusion of medication used for **blackhead**. Should an incidence of blackhead occur, please contact your local veterinarian.

WITHHOLDING PERIOD

Meat - Nil.

Eggs - DO NOT USE in laying birds within 14 days of laying where eggs or egg products are to be used for human consumption or processing.

WARNING

Do not feed to any other poultry species.

Do not feed to horses or other equines as may be fatal. Contains RAM - do not feed to cattle, sheep and other ruminants.

Feed only to growing turkeys.

STORAGE

[Cool, shaded, dry conditions, away from vermin.](#)

EXPIRY

[Six months from the date of manufacture.](#)

PACK SIZE

20kg woven polypropylene bags.

Bulk load details available from your sales representative.



Bovatec® is a registered trademark of Alpharma.

This feed is scientifically formulated for the intended species of animal and should not be fed to any other animal. It may contain medication and ingredients that may prove harmful if fed to other species.

Ver: 7.0

Issue Date: October 2015

